



BESTMALZ AG • Postfach 10 43 20 • D -69033 Heidelberg

Kurfürsten-Anlage 52
D-69115 Heidelberg

**Imported and distributed by
BINTANI AUSTRALIA PTY LTD**

65 DEHAVILLAND ROAD

T +49-(0) 6221-64660
F 49-(0) 6221-646699
E info@bestmalz.de

AUS-3195 MORDIALLOC, VICTORIA, AUSTRALIA

Malt Analysis

Order details: PO#7786 palletized
finla destination Melbourne

Delivery note No.	Date	Plant	Quantity
2016013343002	22.05.2017	BEST Munich (Malt) (in bags)	2,000 to

Term		Analysis
Moisture content	%	3,9
Extract fine grind, dry basis	%	82,7
Fine-coarse-difference	%	1,2
Viscosity (8,6%, mPa.s)	mPas	1,50
Friability	%	87,6
Glassiness	%	1,4
Protein, dry basis	%	10,1
Soluble nitrogen	mg/100g	712
Kolbach index	%	44,4
Hartong index (VZ 45° C)	%	41
Wort colour	EBC	14,5
Wort	pH	5,70
Crop		2016
Grading > 2,5 mm	%	94,2
Grading < 2,2 mm	%	0,3

Manufacturing date: May 2017
Best before: May 2019