



FOOD SAFETY & QUALITY SYSTEM
PRODUCT DATA SHEET
PALE MALT



Statement of Hazardous Nature

Not classified as hazardous according to the criteria of Worksafe Australia

COMPANY DETAILS

JOE WHITE MALTINGS PTY LTD

65 Magill Road
Stepney, SA 5069
AUSTRALIA

Telephone: 08 8214 6701
Emergency Telephone: 08 8214 6701 (Business Hours)
Facsimile: 08 8214 6751

IDENTIFICATION

Product Name: Pale Malt
Other Names: Malt, Malted Barley, Ale Malt, Lager Malt, Pilsen Malt, Pilsner Malt
Packaging: Polypropylene bags, bulka bag, bulk truck, lined container or bulk ship
Manufacturer's
Product Code: None Designated
UN Number: None Designated
Dangerous Goods Class and Subsidiary Risk: None Designated
Hazchem Code: None Designated
Poisons Schedule No.: None Designated

Physical Description/Properties

Appearance: Appearance of a barley grain with a sweet, malty odour
Boiling/Melting Point: Decomposes
Vapour Pressure: Not Applicable
Specific Gravity: 0.50 to 0.60 g/cm³ (Approx. Bulk Density)
Ignition Temperature: 300°C (layer dust)
Flammability Limits: Not Applicable
Solubility in Water: Not soluble
Shelf Life: 2 years

Ingredients

Barley (*Hordeum Vulgare*), Malting Grade Australian varieties, as approved by the Malting and Brewing Industry Barley Technical Committee (MBIBTC)



FOOD SAFETY & QUALITY SYSTEM
PRODUCT DATA SHEET
PALE MALT



IDENTIFICATION (cont'd.)

CAS Number:	None Designated
Proportion:	100%
Intended Use:	Ingredient for the food and beverage industries (domestic and export)
Unintended Use:	May not be fed to ruminants without blending with other ingredients
Method of Preservation:	Kilning
Shelf Life:	2 years

HEALTH HAZARD INFORMATION – HEALTH EFFECTS

<u>Allergens:</u>	Contains gluten May contain sulphites
<u>Acute</u>	
Swallowed:	Not a hazard if swallowed, with the exception of individuals that are gluten intolerant (Coeliacs Disease).
Eye:	Mild irritant from malt dust. Direct contact may cause discomfort in some individuals.
Skin:	Malt dust may be a mild irritant and lead to dry or itchy skin.
Inhaled:	Malt dust may be an irritant to airway passage.
<u>Chronic</u>	Recurrent skin contact of malt dust may lead to dermatitis. Prolonged inhalation of malt dust may cause the condition known as “bakers asthma”.
<u>First Aid</u>	
Eye (Malt dust):	Irrigate with clean water for a minimum of 5 minutes. Seek medical attention if required.
Skin (Malt dust):	Wash thoroughly with water.
Inhalation (Malt dust):	Remove to fresh air. Seek medical advice if required.
First Aid Facilities:	No specific requirements.
Advice to Doctor:	No specific instructions.

PRECAUTIONS FOR USE

Exposure Standards

Grain dust TWA: 4 mg/m³

Engineering Controls

Dust extraction is recommended if handling procedure generate dust.

Personal Protection

Persons sensitive to malt dust should wear full-face dust masks at all times. Dust masks to be worn in poorly ventilated areas or where handling generates excessive dust.

Safety glasses fitted with a brow guard (a foam or soft plastic insert around the eyepiece) is necessary where handling generates excessive dust.



FOOD SAFETY & QUALITY SYSTEM
PRODUCT DATA SHEET
PALE MALT



Flammability

Flour dust can be explosive. Keep away from all direct sources of combustion.

SAFE HANDLING INFORMATION

Storage and Transport

Not classified as dangerous goods. Store in a clean, cool and dry environment. Bulk storage in concrete, steel/fabric silos. Bag storage in polypropylene. Transport is by bulk or bagged product.

Spills and Disposal

No specific requirement required for spills. Dispose with normal waste and in accordance with Government regulations.

Fire/Explosion Hazard

Keep away from naked flame, and sources of sparks and combustion. Minimise malt flour dust particles in a closed atmosphere.

Other Information

Although Pale Malt is inherently non-hazardous material, under inadequate handling and storage conditions, potential hazards may occur.

Precautions should be taken in grain storage in order to minimise dust brought about by impact or abrasion and by insect or rodent infestation. This dust may contain particles of husk, rootlets or endosperm. Malt dust may become airborne and if at high concentrations and in the presence of an ignition source, at times, may cause fire and explosion.

Contact Point

Julie Testi Business Improvement Manager
Phone: +61 8 8214 6721 (Business Hours), + 61 419 898 383

Disclaimer

Joe White Maltings provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by properly trained personnel. Individuals receiving the information must exercise their individual judgement in determining the appropriateness for a particular purpose.

Joe White Maltings makes no representations or warranties, either express or implied, including without limitation any warranties or merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Joe White Maltings will not be responsible for damages resulting from use of or reliance on this information.